



### Section 1. Product and Company Identification

**Product Name** Sodium Dichloroisocyanurate

51580-86-0 **CAS Number** 

Parchem - fine & specialty chemicals

**415 Huguenot Street** New Rochelle, NY 10801

**)** (914) 654-6800 **(914)** 654-6899

parchem.com **™** info@parchem.com

**EMERGENCY RESPONSE NUMBER** 

CHEMTEL

Toll Free US & Canada: 1 (800) 255-3924 All other Origins: 1 (813) 248-0585

Collect Calls Accepted

Section 2. Hazards Identification

### Classification of the substance or mixture **GHS Classification**

Contact Hazard - Skin: Category 1C - Causes severe skin burns and eye damage.

Contact Hazard - Eye: Category 1 - Causes serious eye damage

Acute Toxicity - Inhalation: Category 2 - Fatal if inhaled

Acute Toxicity - Oral: Category 4 - Harmful if swallowed.

Acute Toxicity - Dermal: Not acutely toxic by dermal exposure.

Target Organ Toxicity (Single Exposure): Category 3 - May cause respiratory tract irritation

Carcinogenicity: This product is not classified as a carcinogen by NTP, IARC or OSHA.

Hazardous To Aquatic Environment - Acute Hazard: Category 1 - Very toxic to aquatic life

Hazardous To Aquatic Environment - Chronic Hazard: Category 1 - Very toxic to aquatic life with

long lasting effects

**GHS Label Elements** 

**Pictograms:** 



Signal word: DANGER!

# Hazard and precautionary statements

# **Hazard Statements**

### Health

Causes severe skin burns and eye damage

Causes serious eye damage

Fatal if inhaled

Harmful if swallowed

May cause respiratory irritation



(Sodium Dichloroisocyanurate)
DATE PREPARED: 7/29/2015

### **Environmental**

Very toxic to aquatic life
Very toxic to aquatic life with long lasting effects

### **Precautionary Statements**

### **Prevention**

Do not breathe dust, fume, gas, mist, vapors, or spray

In case of inadequate ventilation, wear respiratory protection

Wear protective gloves, protective clothing, eye, and face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Avoid release to the environment

### Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Specific treatment is urgent (see Section 4 of SDS or first aid information on this label)

IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower

Wash contaminated clothing before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Specific treatment (see First Aid information on product label and/or Section 4 of the SDS)

Collect spillage

### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

### Disposal

Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations.

### **Hazards Not Otherwise Classified (HNOC)**

Damp or wet material may generate nitrogen trichloride, an explosion hazard Contact with acids liberates toxic gas

**Unknown Acute Toxicity:** Not applicable. 100% of this product consists of ingredient(s) of known acute toxicity.

**Major Health Hazards:** Corrosive. Causes serious eye damage. Causes severe skin burns and eye damage. May be fatal if inhaled. Harmful if swallowed.





**Physical Hazards:** OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Contamination with moisture, organic material, or other incompatible chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. Contact with acids liberates toxic gas. Decomposes at temperatures above 464°F with liberation of harmful gases. When ignited will burn with the evolution of chlorine and equally toxic gases. Do not get water inside container. Wet material may generate nitrogen trichloride, an explosion hazard.

**Aquatic Toxicity:** Very toxic to aquatic organisms. Very toxic to aquatic life with long lasting effects.

**Precautionary Statements:** Do not get in eyes, on skin, or on clothing. Wear eye protection, face protection, protective gloves. Do not breathe dusts or mists. Use outdoors or in a well-ventilated area. Wash hands and affected skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not get water inside container, an explosion hazard. Oxidizer, keep separated from incompatible substances.

**Additional Hazard Information:** This material is corrosive. Product has strong buffering capability. Use dilution. May cause burns to moist skin if not promptly removed. There is no specific antidote.

### Section 3. Composition / Information on Ingredients

**Common Name** Sodium Dichloroisocyanurate

**Synonym(s)** Sodium dichloroisocyanurate dihydrate; Sodium dichloro-s-triazinetrione

dihydrate; 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione; Dichloroisocyanuric acid

sodium salt

**CAS Number** 51580-86-0

COMPONENT	CAS NUMBER	CONCENTRATION
Sodium Dichloroisocyanurate	51580-86-0	98 – 100%
Dihydrate		
Sodium Chloride	7647-14-5	0.1 – 1%

### Section 4. First Aid Measures

**Inhalation:** If inhalation of dust occurs and adverse effects result, remove to uncontaminated area. Evaluate ABC's (is Airway constricted, is Breathing occurring, and is blood Circulating) and treat symptomatically. GET MEDICAL ATTENTION IMMEDIATELY. There is no specific antidote, treat symptomatically.

**Skin Contact:** Immediately flush contaminated areas with water. Remove contaminated clothing, jewelry and shoes. Wash contaminated areas with large amounts of water. GET MEDICAL ATTENTION IMMEDIATELY. Thoroughly clean and dry contaminated clothing before reuse.

**Eye Contact:** Immediately flush contaminated eyes with a directed stream of water for as long as possible. Remove contact lenses, if present, then continue rinsing. GET MEDICAL ATTENTION IMMEDIATELY.



(Sodium Dichloroisocyanurate)
DATE PREPARED: 7/29/2015

**Ingestion:** If swallowed, do not induce vomiting. Give large amounts of water. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious or convulsive person. GET MEDICAL ATTENTION IMMEDIATELY.

# Most Important Symptoms/Effects (Acute and Delayed)

Acute Symptoms/Effects: Listed below.

**Inhalation (Breathing):** Respiratory System Effects: Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngeospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

**Skin:** Skin Corrosion. Exposure to solid along with moisture may cause redness, irritation, burning sensation, swelling, blister formation, first, second, or third degree burns.

**Eye:** Serious Eye Damage. Exposure to eyes may cause irritation and burns to the eye lids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to the internal contents of the eye.

**Ingestion (Swallowing):** Gastrointestinal Effects: Exposure by ingestion may cause irritation, nausea, and vomiting. May cause local tissue damage to esophagus and stomach such as burning, inflammation, local ulceration, and may cause gastrointestinal bleeding.

Delayed Symptoms/Effects: Repeated and prolonged skin contact may cause a dermatitis

**Interaction with Other Chemicals Which Enhance Toxicity:** Contact with acids liberates toxic gas.

**Medical Conditions Aggravated by Exposure:** May aggravate preexisting conditions such as: eye disorders that decrease tear production or have reduced integrity of the eye; skin disorders that compromise the integrity of the skin; and respiratory conditions including asthma and other breathing disorders.

**Protection of First-Aiders:** Protect yourself by avoiding contact with this material. Use personal protective equipment. Refer to Section 8 for specific personal protective equipment recommendations. Avoid contact with skin and eyes. Do not ingest. At minimum, treating personnel should utilize PPE sufficient for prevention of bloodborne pathogen transmission.

**Notes to Physician:** Treat as a corrosive substance. This material is more irritating to the skin and eyes in the presence of water. For prolonged exposures and significant exposures, consider delayed injury to exposed tissues. There is no antidote. Cyanuric acid is readily removed from the body via the renal system, and is not bioaccumulated. Treatment is supportive care. Follow normal parameters for airway, breathing, and circulation.

### Section 5. Firefighting Measures

**Fire Hazard:** Negligible fire hazard. If heated by outside source to temperatures above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases but no visible flame. Wet material may generate nitrogen trichloride, an explosion hazard.

**Extinguishing Media:** Flood with copious amounts of water. Do not use ABC fire extinguishers. Do not use dry chemicals, carbon dioxide, or halogenated extinguishing agents.

**Firefighting:** Consider evacuation of personnel located downwind. Keep unnecessary people away, isolate hazard area and deny entry. Move container from fire area if it can be done without



(Sodium Dichloroisocyanurate)
DATE PREPARED: 7/29/2015

risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Material which appears undamaged except for being damp on the outside, should be opened and inspected immediately. DO NOT attempt to reseal contaminated drums. Damp material should be neutralized to a non-oxidizing state.

Hazardous Combustion Products: Chlorine, Nitrogen, Nitrogen trichloride, Cyanogen

chloride, Oxides of carbon, Phosgene

Sensitivity to Mechanical Impact: Not sensitive.

Sensitivity to Static Discharge: Not sensitive.

Lower Flammability Level (air): Not flammable

Upper Flammability Level (air): Not flammable

Flash point: Not applicable

Auto-ignition Temperature: Not determined

Section 6. Accidental Release Measures

**Personal Precautions:** Keep unnecessary and unprotected persons away. Isolate hazard area and deny entry. Do not get in eyes, on skin or on clothing. Do not breathe dust, fume, gas, mist, vapors, or spray. Wear appropriate personal protective equipment recommended in Section 8, Exposure Controls / Personal Protection, of the SDS.

**Methods and Materials for Containment and Cleaning Up:** DO NOT add water to spilled material. DO NOT use floor sweeping compounds to clean up spills. Sweep and scoop spilled material into clean, dedicated equipment. Every attempt should be made to avoid mixing spilled material with other chemicals or debris when cleaning up. DO NOT attempt to reseal contaminated drums. DO NOT transport wet or damp material. Damp material should be neutralized to a non-oxidizing state.

**Environmental Precautions:** This material is very toxic to aquatic life. This material is very toxic to aquatic life with long lasting effects. Keep out of water supplies and sewers. Releases should be reported, if required, to appropriate agencies.

### Section 7. Handling and Storage

**Precautions for Safe Handling:** Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or dust when opening container. Avoid creation of dust. Wash thoroughly after handling. Wear personal protective equipment as described in Exposure Controls/Personal Protection (Section 8) of the SDS. NEVER add water to this product. Always add product to large quantities of water. Use clean, dry utensils. Do not add the product to any dispensing device containing residuals of other products.

**Safe Storage Conditions:** Store and handle in accordance with all current regulations and standards. (NFPA Oxidizer Class 1). Store in original container and in a dry area where temperatures do not exceed 52°C (125°F) for 24 hours. Do not allow water to get in container. If liner is present, tie after each use. Keep container tightly closed and properly labeled. Store containers on pallets. Keep away from food, drink and animal feed. Keep separated from incompatible substances (see Section 10 of the Safety Data Sheet). Product has an indefinite shelf life



(Sodium Dichloroisocyanurate)
DATE PREPARED: 7/29/2015

if stored in original container in a cool, dry place.

**Incompatibilities/ Materials to Avoid:** acids, ammonia, bases, floor sweeping compounds, calcium hypochlorite, reducing agents, organic solvents and compounds

Section 8. Exposure Controls / Personal Protection

**Regulatory Exposure Limits:** None. This product does not contain any components that have regulatory occupational exposure limits (OEL's) established.

OEL: Occupational Exposure Limit; OSHA: United States Occupational Safety and Health Administration;

PEL: Permissible Exposure Limit; TWA: Time Weighted Average; STEL: Short Term Exposure Limit

**Non-Regulatory Exposure Limits:** None. This product does not contain any components that have advisory (non-regulatory) occupational exposure limits (OEL's).

The Non-Regulatory United States Occupational Safety and Health Administration (OSHA) limits, if shown, are the Vacated 1989 PEL's (vacated by 58 FR 35338, June 30, 1993).

The American Conference of Governmental Industrial Hygienists (ACGIH) is a voluntary organization of professional industrial hygiene personnel in government or educational institutions in the United States. The ACGIH develops and publishes recommended occupational exposure limits each year called Threshold Limit Values (TLVs) for hundreds of chemicals, physical agents, and biological exposure indices.

**Additional Advice:** Chlorine and chlorine compounds may be found in slight amounts in the head space of containers of this product.

**Engineering Controls:** Use only in well-ventilated areas. Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

### **Personal Protective Equipment**

**Eye Protection:** Wear chemical safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**Skin and Body Protection:** Wear protective clothing to minimize skin contact. When potential for contact with dry material exists, wear disposable coveralls suitable for dust exposure. Contaminated clothing should be removed and laundered before reuse.

**Hand Protection:** Wear appropriate chemical resistant gloves. Consult a glove manufacturer for assistance in selecting an appropriate chemical resistant glove.

**Protective Material Types:** Butyl rubber, Natural rubber, Neoprene, Nitrile, Polyvinyl chloride (PVC)

**Respiratory Protection:** A NIOSH approved respirator with N95 (dust, fume, mist) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. The added protection of a full face-piece respirator is required when visible dusty conditions are encountered and eye irritation may occur. Acid gas cartridges with N95 filters are required when



(Sodium Dichloroisocyanurate)
DATE PREPARED: 7/29/2015

fumes or vapor may be generated. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

### Section 9. Physical and Chemical Properties

Physical State: Solid

**Appearance:** Granules, Crystals

Color: White

**Odor:** Slight chlorine odor

Odor Threshold: Not Available.

Molecular Weight: 256

Molecular Formula: C<sub>3</sub>N<sub>3</sub>O<sub>3</sub>Cl<sub>2</sub>Na·2H<sub>2</sub>O

**Decomposition Temperature:** 486°F (252°C) - dehydrates at 104 - 212°F (40 - 100°C)

**Boiling Point/Range:** Not applicable **Freezing Point/Range:** Not applicable.

Melting Point/Range: Decomposes without melting at 252°C

Vapor Pressure: Not available

Vapor Density (air=1): Not applicable

Relative Density/Specific Gravity (water=1): 1.95 g/mL at 25°C

**Density:** No data available

Bulk Density: 56 - 60 lbs/ft<sup>3</sup> (loose)
Water Solubility: 26.5 g/100 g at 25°C

**pH:** 6 - 7 at 25°C (1% solution) **Volatility:** Not applicable

**Evaporation Rate (ether=1):** Not applicable **Partition Coefficient (n-octanol/water):** Kow = 0

Flash point: Not applicable

Flammability (solid, gas): Not flammable
Lower Flammability Level (air): Not flammable
Upper Flammability Level (air): Not flammable
Auto-ignition Temperature: Not determined

**Viscosity:** Not applicable

### Section 10. Stability and Reactivity

**Reactivity:** Not reactive under normal temperatures and pressures. **Chemical Stability:** Stable at normal temperatures and pressures.

**Possibility of Hazardous Reactions:** Do not get water inside container. Wet material may generate nitrogen trichloride, an explosion hazard. Avoid contact with easily oxidizable organic material. Contact with acids liberates toxic gas.

Conditions to Avoid: None known.

**Incompatibilities/ Materials to Avoid:** acids. ammonia. bases. floor sweeping compounds. calcium hypochlorite. reducing agents. organic solvents and compounds.



(Sodium Dichloroisocyanurate)
DATE PREPARED: 7/29/2015

Hazardous Decomposition Products: chlorine, nitrogen, nitrogen trichloride, cyanogen

chloride, oxides of carbon, phosgene

Hazardous Polymerization: Will not occur.

Section 11. Toxicological Information

Irritation Data: Primary Skin Irritation: Severe Irritation, Corrosive (rabbit, 24 hr)

Primary Eye Irritation: Severe Irritation, Corrosive (rabbit, 24 hr)

**Toxicity Data** 

**Product Toxicity Data** 

LD50 Oral	LD50 Dermal	LC50 Inhalation
1823 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	0.27 - 1.17 mg/L (4 hr - Rat)

**Component Toxicity Data** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium dichloroisocyanurate	735 mg/kg (Rat)	2000 mg/kg	50 mg/L (1 hr-Rat)
dihydrate 51580-86-0		(Rabbit)	
Sodium Chloride 7647-14-5	3 g/kg (Rat)	10 g/kg (Rabbit)	42 g/m3 (1 hr-Rat)

### **Potential Health Effects:**

**Eye contact:** Eye exposures may cause burns to the eye lids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to the internal contents of eye.

**Skin contact:** Exposure to solid along with moisture may cause redness, irritation, burning sensation, swelling, blister formation, first, second, or third degree burns. Dry material is less irritating than wet material. This material is not a skin sensitizer based on studies with guinea pigs.

**Inhalation:** This material in the form as sold is not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades. If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngeospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

**Ingestion:** Exposure by ingestion may cause irritation, nausea, and vomiting. May cause local tissue damage to epiglottis, mucus membranes of the mouth, esophagus and stomach such as burning, inflammation, local ulceration, and may cause gastrointestinal bleeding.

**Chronic Effects:** None identified for the parent chemical. Based on animal studies, exposure to concentrations of monosodium cyanurate at the solubility limit may cause cardiovascular, kidney and urinary bladder effects.

### Signs and Symptoms of Exposure

**Inhalation (Breathing):** Respiratory System Effects: Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngeospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.



(Sodium Dichloroisocyanurate)
DATE PREPARED: 7/29/2015

**Skin:** Skin Corrosion. Exposure to solid along with moisture may cause redness, irritation, burning sensation, swelling, blister formation, first, second, or third degree burns.

**Eye:** Serious Eye Damage. Exposure to eyes may cause irritation and burns to the eye lids, conjunctivitis, corneal edema, and corneal burn. Significant and prolonged contact may cause damage to the internal contents of the eye.

**Ingestion (Swallowing):** Gastrointestinal Effects: Exposure by ingestion may cause irritation, nausea, and vomiting. May cause local tissue damage to esophagus and stomach such as burning, inflammation, local ulceration, and may cause gastrointestinal bleeding.

**Toxicity:** Monosodium cyanurate was administered via drinking water to rats for 104 weeks at concentrations of 0, 400, 1200, 2400, and 5375 ppm (solubility limit). No compound-related effects on body weights, clinical signs of toxicity or food or water consumption were noted during the study. An increased incidence of gross lesions in the urinary tract, calculi in the kidney and lesions in the heart were observed in males receiving the highest dose level of 5375 ppm (solubility limit). The health effects seen in this study were due to precipitation of the test substance in the urinary tract when the test substance was fed at the solubility limit. Adverse health effects were not seen at lower doses where precipitation did not occur.

**Interaction with Other Chemicals Which Enhance Toxicity:** Contact with acids liberates toxic gas.

### **GHS Health Hazards**

Acute Toxicity	Oral	Category 4 - Harmful if swallowed.
	Dermal	Not acutely toxic by dermal exposure.
	Inhalation	Category 2 - Fatal if inhaled.
Contact	Skin	Category 1C - Causes severe skin burns and eye damage
hazard		
	Eye	Category 1 - Causes serious eye damage
Carcinogenicity	/	This product is not classified as a carcinogen by NTP, IARC or
		OSHA.

**Specific Target Organ Toxicity (Single Exposure):** Category 3 - Respiratory Tract Irritation **Mutagenic Data:** Not classified as a mutagen per GHS criteria. Not mutagenic in 5 Salmonella strains and 1 E. coli strain with or without mammalian microsomal activation.

**Reproductive Toxicity:** Not classified as a reproductive toxin per GHS criteria. There are no known or recorded effects on reproductive function or fetal development.

Other Hazards: Contact with acids liberates toxic gas.





### Section 12. Ecological Information

# Ecotoxicity Data Fish Toxicity

LC50 Bluegill sunfish: 0.25-1.0 mg/L (96 hour) LC50 Rainbow trout: 0.13-0.36 mg/L (96 hour) LC50 Inland silversides: 1.21 mg/L (96 hour)

**Invertebrate Toxicity** 

LC50 Water flea: 0.196 mg/L (48 hour) LC50 Mysid shrimp: 1.65 mg/L (96 hour)

Other Toxicity

LD50 Mallard duck (oral): 1,916 mg/kg LD50 N. Bobwhite Quail (oral): 1,732 mg/kg LD50 Mallard duck (diet): >10,000 ppm LD50 N. Bobwhite Quail (diet): >10,000 ppm

### **Fate and Transport**

**Biodegradation:** This material is subject to hydrolysis. Cyanuric acid produced by hydrolysis is biodegradable

**Persistence:** This material is believed not to persist in the environment. Free available chlorine is rapidly consumed by reaction with organic and inorganic materials to produce chloride ion. The stable degradation products are chloride ion and cyanuric acid

**Bioconcentration:** This material hydrolyses in water liberating free available chlorine and cyanuric acid. These products are not bioaccumulative.

Additional Ecological Information: This product is very toxic to fish and aquatic organisms. This product is very toxic to aquatic life with long lasting effects. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of appropriate regulatory requirements (e.g. permit and the permitting authority has been notified in writing prior to discharge). Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your local or regional regulatory water boards and/or other appropriate regulatory offices.

Section 13. Disposal Considerations

**Waste Treatment Methods:** Dispose of product and contaminated packaging in accordance with all local, state, and federal environmental control regulations.

Section 14. Transport Information

### **Land Transport**

U.S. DOT 49 CFR 172.101

**Status:** Non-Bulk Packaging: Not Regulated unless transported by vessel.

Bulk Packaging or Shipment by Vessel: Regulated as follows:.

**UN Number: UN3077** 





Proper Shipping Name: Environmentally Hazardous Substance, Solid, n.o.s. (Sodium

dichloroisocyanurate dihydrate), Marine Pollutant

Hazard Class: 9
Packing Group: Ⅲ

Labeling Requirements: 9, Marine Pollutant

Marine Pollutant: Sodium dichloroisocyanurate dihydrate

### **Canadian Transportation of Dangerous Goods:**

**Status:** Non-Bulk Packaging: Not Regulated unless transported by vessel.

Bulk Packaging or Shipment by Vessel: Regulated as follows:.

**UN Number: UN3077** 

Shipping Name: Environmentally Hazardous Substance, Solid, n.o.s. (Sodium

dichloroisocyanurate dihydrate), Marine Pollutant

Class or Division: 9
Packing/Risk Group: III

Labeling Requirements: 9, Marine Pollutant

Can. Marine pollutant: Sodium dichloroisocyanurate dihydrate

### MARITIME TRANSPORT (IMO/IMDG)

Status - IMO/IMDG: Shipment by Vessel: Regulated

**UN Number:** UN3077

Proper Shipping Name: Environmentally Hazardous Substance, Solid, n.o.s. (Sodium

dichloroisocyanurate dihydrate), Marine Pollutant

Hazard Class: 9
Packing Group: Ⅲ

Labeling Requirements: 9, Marine Pollutant

Marine Pollutant: Sodium dichloroisocyanurate dihydrate

Section 15. Regulatory Information

### **U.S. REGULATIONS**

**OSHA Regulatory Status:** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

CERCLA Sections 102a/103 Hazardous Substances (40 CFR 302.4): Not regulated.

SARA EHS Chemical (40 CFR 355.30) Not regulated

EPCRA Sections 311/312 Hazard Categories (40 CFR 370.10): Fire Hazard, Reactive

Hazard, Acute Health Hazard

EPCRA Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (PSM) (29 CFR 1910.119): Not regulated

FIFRA Regulations: Registered pesticide under 40 CFR 152.10, Federal Insecticide, Fungicide

and Rodenticide Act (FIFRA), EPA Reg. No. 935-38 (ACL® 56 Chlorinating Composition)

# parchem fine & specialty chemicals

# Safety Data Sheet

(Sodium Dichloroisocyanurate)
DATE PREPARED: 7/29/2015

FIFRA LABELING REQUIREMENTS: This chemical is a pesticide product registered by the United States Environmental Protection Agency (EPA) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

- FIFRA Signal Word DANGER
- Corrosive
- Causes irreversible eye damage
- May be fatal if inhaled
- Harmful if swallowed or absorbed through skin
- This pesticide is toxic to fish and aquatic organisms
- Strong oxidizing agent
- Contact with water slowly liberates irritating and hazardous chlorine containing gases
- Decomposes at temperatures above 464°F with liberation of harmful gases
- When ignited will burn with the evolution of chlorine and equally toxic gases
- NEVER add water to product
- Always add product to large quantities of water
- Use only clean and dry utensils
- DO NOT add this product to any dispensing device containing remnants of any other product
- Such use may cause a violent reaction leading to fire or explosion
- Contamination with moisture, organic material, or other incompatible chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion

### **National Inventory Status**

**U.S. Inventory Status: Toxic Substance Control Act (TSCA):** All components are listed or exempt.

**TSCA 12(b):** This product is not subject to export notification.

**Canadian Chemical Inventory:** All components of this product are listed on either the DSL or the NDSL.

### **State Regulations**

**California Proposition 65:** This product and its ingredients are not listed, but it may contain impurities/trace elements known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act.

### Sodium dichloroisocyanurate dihydrate 51580-86-0

California Proposition 65 Cancer WARNING	Not Listed
California Proposition 65 CRT List - Male reproductive toxin	Not Listed
California Proposition 65 CRT List - Female reproductive toxin	Not Listed
Massachusetts Right to Know Hazardous Substance List	Not Listed
New Jersey Right to Know Hazardous Substance List	Not Listed
New Jersey Special Health Hazards Substance List	Not Listed



(Sodium Dichloroisocyanurate)
DATE PREPARED: 7/29/2015

New Jersey - Environmental Hazardous Substance List	Not Listed
Pennsylvania Right to Know Hazardous Substance List	Not Listed
Pennsylvania Right to Know Special Hazardous Substances	Not Listed
Pennsylvania Right to Know Environmental Hazard List	Not Listed
Rhode Island Right to Know Hazardous Substance List	Not Listed

**Canadian Regulations:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations

**WHMIS - Classifications of Substances:** Material is regulated as a pesticide, therefore is not regulated under WHMIS

**PCP Registration:** This product is registered as a pesticide in Canada under PCP Reg No.18229 - (ACL 56 Chlorinating Composition)

HMIS Ratings Health: 3

Flammability: 0 Reactivity: 1

Section 16. Other Information

**Disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

**REVISION DATE: 7/29/2015**