



(Trimethylolpropane Triacrylate) DATE PREPARED: 10/27/2017

Section 1. Product and Company Identification

Product Name Trimethylolpropane Triacrylate

15625-89-5 **CAS Number**

Parchem - fine & specialty chemicals

415 Huguenot Street New Rochelle, NY 10801

) (914) 654-6800 📅 (914) 654-6899

parchem.com

info@parchem.com

EMERGENCY RESPONSE NUMBER

CHEMTEL

Toll Free US & Canada: 1 (800) 255-3924

All other Origins: 1 (813) 248-0585

Collect Calls Accepted

Section 2. Hazards Identification

Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Skin sensitization (Category 1), H317

GHS Label Elements

Pictograms:



Signal word: WARNING

Hazard and precautionary statements **Hazard Statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/face protection.

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.





(Trimethylolpropane Triacrylate)
DATE PREPARED: 10/27/2017

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P501 Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS: None

Section 3. Composition / Information on Ingredients

Common Name Trimethylolpropane Triacrylate

 Synonym(s)
 TMPTA

 Formula
 C₁₅H₂₀O₆

 CAS Number
 15625-89-5

COMPONENT	CAS NUMBER	CONCENTRATION
Trimethylolpropane Triacrylate	15625-89-5	<= 100%

Section 4. First Aid Measures

Description of first-aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

Skin contact: Wash off with soap and plenty of water. Consult a physician.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician.

Most important symptoms and effects, both acute and delayed: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed: No data available

Section 5. Firefighting Measures

Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Special hazards arising from the substance or mixture: No data available **Advice for firefighters:** Wear self-contained breathing apparatus for firefighting if necessary.





(Trimethylolpropane Triacrylate)
DATE PREPARED: 10/27/2017

Further information: No data available

Section 6. Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures: Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. For personal protection see section 8.

Environmental precautions: Do not let product enter drains.

Methods and materials for containment and cleaning up: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections: For disposal see section 13.

Section 7. Handling and Storage

Precautions for safe handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see section 2.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Combustible liquids

Section 8. Exposure Controls / Personal Protection

Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control Parameters	Basis
Trimethylolpropane Triacrylate	15625-89- 5	TWA	1.000000 mg/m ³	USA. Workplace Environmental Exposure Levels (WEEL)
	Remarks	Skin		

Exposure controls

Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.



(Trimethylolpropane Triacrylate)
DATE PREPARED: 10/27/2017

Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection: Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure: Do not let product enter drains.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance: viscous liquid

Color: Colorless

Odor: No data available

Odor Threshold: No data available

pH: No data available

Melting point/freezing point: < -19.99°C (< -3.98°F) at ca.1,013 hPa (760 mmHg) - OECD

Test Guideline 102

Initial boiling point and boiling range: > 390°C (> 734°F) at ca.1,013 hPa (760 mmHq) -

OECD Test Guideline 103

Flash point: 194.5°C (382.1°F) at ca.1,013 hPa (760 mmHg) - closed cup

Evaporation rate: No data available

Flammability (solid, gas): No data available

Upper/lower flammability or explosive limits: No data available

Vapor pressure: < 0.01 hPa (< 0.01 mmHg) at 20°C (68°F)

Vapor density: 10.23 - (Air = 1.0)

Relative density: 1.1 g/cm³ at 25°C (77°F)

Water solubility: 0.5 g/l at 20°C (68°F) - slightly soluble

Partition coefficient (n-Octanol/water): log Pow: 0.67 at 23°C (73°F) Auto-ignition temperature: 385°C (725°F) at 1,013 hPa (760 mmHg)

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available **Oxidizing properties:** No data available

Other safety information

Surface tension: 49.9 mN/m at $22 ^{\circ}\text{C}$ ($72 ^{\circ}\text{F}$) Relative vapor density: $10.23 \cdot (\text{Air} = 1.0)$



(Trimethylolpropane Triacrylate)
DATE PREPARED: 10/27/2017

Section 10. Stability and Reactivity

Reactivity: No data available

Chemical stability: Stable under recommended storage conditions. Contains the following stabilizer(s): Mequinol (500 - 750 ppm)

Possibility of hazardous reactions: No data available

Conditions to avoid: May polymerize on exposure to light.

Incompatible materials: Strong oxidizing agents, Strong acids, Strong bases, Brass, Copper,

Steel (all types and surface treatments), Iron and iron salts.

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions: Carbon oxides

Other decomposition products: No data available

In the event of fire: see section 5

Section 11. Toxicological Information

Information on toxicological effects Acute toxicity

LD50 Oral - Rat: > 5,000 mg/kg

LC50 Inhalation - Rat - male and female: > 0.55 mg/l (6h)

LD50 Dermal - Rabbit: 5,170 mg/kg LD50 Intraperitoneal - Rat: 55 mg/kg

Remarks: Behavioral: Altered sleep time (including change in righting reflex). Behavioral: Convulsions

or effect on seizure threshold. Behavioral: Ataxia.

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. 24h

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes.

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: May cause sensitization by skin contact.

Germ cell mutagenicity

Ames test

S. typhimurium

Mutagenicity (micronucleus test)

Mouse - male and female

Result: negative



(Trimethylolpropane Triacrylate)
DATE PREPARED: 10/27/2017

Carcinogenicity

IARC: No component of this product, present at levels greater than or equal to 0.1%, is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product, present at levels greater than or equal to 0.1%, is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product, present at levels greater than or equal to 0.1%, is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: No data available

Specific target organ toxicity - single exposure: No data available Specific target organ toxicity - repeated exposure: No data available

Aspiration hazard: No data available

Additional Information

Repeated dose toxicity

Rat - male and female - NOAEL: >= 200 mg/kg

RTECS: AT4810000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence (Mequinol)

Section 12. Ecological Information

Toxicity

Toxicity to fish

Static test LC50 - Leuciscus idus (Golden orfe): 1.47 mg/l (96 h)

(DIN 38412)

Toxicity to daphnia and other aquatic invertebrates

Static test LC50 - Daphnia magna (Water flea): 19.9 mg/l (48 h)

Toxicity to algae

Static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus): 4.86 mg/l (96 h)

Persistence and Degradability

Biodegradability aerobic - Exposure time 28 d Result: 82 - 90% - Readily biodegradable

(OECD Test Guideline 301B)

Bioaccumulative potential: No data available

Mobility in soil: No data available

Results of PBT and vPvB assessment: PBT/vPvB assessment not available as chemical safety

assessment not required/not conducted

Other adverse effects: No data available



(Trimethylolpropane Triacrylate)
DATE PREPARED: 10/27/2017

Section 13. Disposal Considerations

Waste Treatment Methods: Dispose of product and contaminated packaging in accordance with all local, state, and federal environmental control regulations.

Section 14. Transport Information

DOT (US): Not dangerous goods **IMDG:** Not dangerous goods **IATA:** Not dangerous goods

Section 15. Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right to Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

Trimethylolpropane Triacrylate (CAS-No. 15625-89-5)

New Jersey Right to Know Components

Trimethylolpropane Triacrylate (CAS-No. 15625-89-5)

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

HMIS Rating

Health: 2

Flammability: 1 Reactivity: 0

NFPA Rating

Health: 2

Flammability: 1
Reactivity: 0



(Trimethylolpropane Triacrylate)
DATE PREPARED: 10/27/2017

Section 16. Other Information

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

REVISION DATE: 10/27/2017