

Section 1 – Company Information

Parchem - fine & specialty chemicals 415 Huguenot Street New Rochelle, NY 10801 → (914) 654-6800 🐨 (914) 654-6899 ⊕ parchem.com Yangarchem.com EMERGENCY RESPONSE NUMBER: CHEMTEL - Parchem CCN# M1S0007152 Toll Free US & Canada: (800)255-3924 All other Origins: (813) 248-0585 Collect Calls Accepted

Section 2 – Product Identification/ Information on Ingredients

PRODUCT NAME	Acetone
SYNONYM	2-propanone; Dimethyl Ketone; Dimethylformaldehyde; Pyroacetic Acid
Formula	C ₃ H ₆ O

PRODUCT	CAS NUMBER	% BY WEIGHT
Acetone	67-64-1	100%

Section 3 – Hazards Identification

Potential Acute Health Effects: Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).

Potential Chronic Health Effects

Carcinogenic Effects: A4 (Not classifiable for human or animal.) by ACGIH.

Mutagenic Effects: Not available.

Teratogenic Effects: Not available.

Developmental Toxicity: Classified Reproductive system/toxin/female, Reproductive

system/toxin/male [suspected].

The substance is toxic to central nervous system (CNS).

The substance may be toxic to kidneys, the reproductive system, liver, skin.

Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4 – First Aid Measures

Eye Contact: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used.Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.



Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.

Serious Inhalation: Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Serious Ingestion: Not available.

Section 5 – Fire Fighting Measures

Flammability of the Product: Flammable.

Auto-Ignition Temperature: 465°C (869°F)

Flash Points: Closed Cup: -20°C (-4°F). Open Cup: -9°C (15.8°F) (Cleveland).

Flammable Limits: Lower: 2.6% Upper: 12.8%

Products of Combustion: These products are carbon oxides (CO, CO₂).

Fire Hazards in Presence of Various Substances: Highly flammable in presence of open flames and sparks, of heat.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: not available. Slightly explosive in presence of open flames and sparks, of oxidizing materials, of acids.

Fire Fighting Media and Instructions

Flammable liquid, soluble or dispersed in water.

Small Fire: Use DRY chemical powder.

Large Fire: Use alcohol foam, water spray or fog.

Special Remarks on Fire Hazards: Vapor may travel considerable distance to source of ignition and flash back.

Special Remarks on Explosion Hazards: Forms explosive mixtures with hydrogen peroxide, acetic acid, nitric acid, nitric acid + sulfuric acid, chromic anydride, chromyl chloride, nitrosyl chloride, hexachloromelamine, nitrosyl perchlorate, nitryl perchlorate, permonosulfuric acid, thiodiglycol + hydrogen peroxide, potassium ter-butoxide, sulfur dichloride, 1-methyl-1,3-butadiene, bromoform, carbon, air, chloroform, thitriazylperchlorate.

Section 6 – Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill: Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.



Section 7 – Handling & Storage

Precautions: Keep locked up. Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, reducing agents, acids, alkalis.

Storage: Store in a segregated and approved area (flammables area). Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Keep away from direct sunlight and heat and avoid all possible sources of ignition (spark or flame).

Section 8 – Exposure Controls & Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits

TWA: 500 STEL: 750 (ppm) from ACGIH (TLV) [United States] TWA: 750 STEL: 1000 (ppm) from OSHA (PEL) [United States] TWA: 500 STEL: 1000 [Austalia] TWA: 1185 STEL: 2375 (mg/m³) [Australia] TWA: 750 STEL: 1500 (ppm) [United Kingdom (UK)] TWA: 1810 STEL: 3620 (mg/m³) [United Kingdom (UK)] TWA: 1800 STEL: 2400 from OSHA (PEL) [United States]Consult local authorities for acceptable exposure limits.

Section 9 – Physical & Chemical Properties

Physical State and Appearance: Liquid.

Odor: Fruity. Mint-like. Fragrant. Ethereal Taste: Pungent, Sweetish Molecular Weight: 58.08 g/mole Color: Colorless. Clear pH (1% soln/water): Not available. Boiling Point: 56.2°C (133.2°F) Melting Point: -95.35 (-139.6°F) Critical Temperature: 235°C (455°F)



Specific Gravity: 0.79 (Water = 1)
Vapor Pressure: 24 kPa (at 20°C)
Vapor Density: 2 (Air = 1)
Volatility: Not available.
Odor Threshold: 62 ppm
Water/Oil Dist. Coeff.: The product is more soluble in water; log(oil/water) = -0.2
Ionicity (in Water): Not available.
Dispersion Properties: See solubility in water.
Solubility: Easily soluble in cold water, hot water.

Section 10 – Stability & Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Excess heat, ignition sources, exposure to moisture, air, or water, incompatible materials.

Incompatibility with various substances: Reactive with oxidizing agents, reducing agents, acids, alkalis.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11 – Toxicological Information

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Inhalation.

Toxicity to Animals:

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Inhalation. **Toxicity to Animals**

Warning: The LC50 values hereunder are estimated on the basis of a 4-hour exposure. **Acute Oral Toxicity (LD50):** 3000 mg/kg [Mouse].

Acute Toxicity of the Vapor (LC50): 44000 mg/m³ 4 hours [Mouse].

Chronic Effects on Humans

Carcinogenic Effects: A4 (Not classifiable for human or animal.) by ACGIH.

Developmental Toxicity: Classified Reproductive system/toxin/female, Reproductive system/toxin/male [suspected].

Causes damage to the following organs: central nervous system (CNS).

May cause damage to the following organs: kidneys, the reproductive system, liver, skin.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of ingestion, of inhalation.

Slightly hazardous in case of skin contact (permeator).

Special Remarks on Toxicity to Animals: Not available.



Special Remarks on Chronic Effects on Humans: May affect genetic material

(mutagenicity) based on studies with yeast (S. cerevisiae), bacteria, and hamster fibroblast cells. May cause reproductive effects (fertility) based upon animal studies.

May contain trace amounts of benzene and formaldehyde which may cancer and birth defects. Human: passes the placental barrier.

Special Remarks on other Toxic Effects on Humans Acute Potential Health Effects

Skin: May cause skin irritation. May be harmful if absorbed through the skin.

Eyes: Causes eye irritation, characterized by a burning sensation, redness, tearing, inflammation, and possible corneal injury.

Inhalation: Inhalation at high concentrations affects the sense organs, brain and causes respiratory tract irritation. It also may affect the Central Nervous System (behavior) characterized by dizzness, drowsiness, confusion, headache, muscle weakeness, and possibly motor incoordination, speech abnormalities, narcotic effects and coma. Inhalation may also affect the gastrointestinal tract (nausea, vomiting).

Ingestion: May cause irritation of the digestive (gastrointestinal) tract (nausea, vomiting). It may also affect the Central Nevous System (behavior), characterized by depression, fatigue, excitement, stupor, coma, headache, altered sleep time, ataxia, tremors as well at the blood, liver, and urinary system (kidney, bladder, ureter) and endocrine system. May also have musculoskeletal effects.

Chronic Potential Health Effects

Skin: May cause dermatitis. **Eyes:** Eye irritation.

Section 12 – Ecological Information

Ecotoxicity: Ecotoxicity in water (LC50): 5540 mg/l 96 hours [Trout]. 8300 mg/l 96 hours [Bluegill]. 7500 mg/l 96 hours [Fathead Minnow]. 0.1 ppm any hours [Water flea]. **BOD5 and COD:** Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13 – Disposal Consideration

Dispose of product and contaminated packaging in accordance with all local, state and federal environmental control regulations.



Section 14 – Transportation Data

DOT Classification: CLASS 3: Flammable liquid. **Identification:** : Acetone, UN1090, PG: II **Special Provisions for Transport:** Not available.

Section 15 – Regulatory Information

Federal and State Regulations

California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (male) which would require a warning under the statute: Benzene

California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Benzene

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Benzene, Formaldehyde

Connecticut Hazardous Material Survey: Acetone Illinois Toxic Substances Disclosure to Employee Act: Acetone Illinois Chemical Safety Act: Acetone New York Release Reporting List: Acetone Rhode Island RTK Hazardous Substances: Acetone Pennsylvania RTK: Acetone Florida: Acetone Minnesota: Acetone Massachusetts RTK: Acetone Massachusetts Spill List: Acetone New Jersey: Acetone New Jersey Spill List: Acetone Louisiana Spill Reporting: Acetone California List of Hazardous Substances (8 CCR 339): Acetone TSCA 8(b) Inventory: Acetone TSCA 4(a) Final Test Rules: Acetone TSCA 8(a) IUR: Acetone

Other Regulations

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). **EINECS:** This product is on the European Inventory of Existing Commercial Chemical Substances.



Other Classifications

WHMIS (Canada): CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F).
CLASS D-2B: Material causing other toxic effects (TOXIC).
DSCL (EEC): R11- Highly flammable.
R36- Irritating to eyes.
S9- Keep container in a well-ventilated place.
S16- Keep away from sources of ignition - No smoking.
S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

HMIS (U.S.A.) Health Hazard: 2 Fire Hazard: 3 Reactivity: 0 Personal Protection: H

National Fire Protection Association (U.S.A.) Health: 1 Flammability: 3 Reactivity: 0 Specific Hazard: Protective Equipment: Gloves. Lab coat. Vapor respirator. Be sure to use an

approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

Section 16 – Other Information

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

tine & specialty chemicals