

Material Safety Data Sheet
(Activated Carbon)



DATE PREPARED: 6/18/2009
REVISION NUMBER: 6/18/2009
EMERGENCY NUMBER: CHEMTREC: 1-800-424-9300

415 Huguenot Street
New Rochelle, NY 10801
Phone: (914) 654-6800 Fax: (914) 654-6899

SECTION 1 – PRODUCT AND COMPANY INFORMATION

PRODUCT NAME Activated Carbon
SYNONYM Charcoal, Activated
FORMULA C
CAS NUMBER 7440-44-0

SECTION 2 – COMPOSITON/INFORMATION ON INGREDIENTS

PRODUCT NAME	CAS NUMBER	PURITY
Activated Carbon	7440-44-0	90 - 100%

SECTION 3- HAZARDS IDENTIFICATION

Emergency Overview

CAUTION! ACTIVATED CARBON AFFECTS THE RESPIRATORY AND CARDIOVASCULAR SYSTEMS.

SAF-T-DATA^(tm) Ratings (Provided here for your convenience)

Health Rating: 2 - Moderate

Flammability Rating: 1 - Slight

Reactivity Rating: 1 - Slight

Contact Rating: 1 - Slight

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Green (General Storage)

Potential Health Effects

Inhalation:

No adverse effects expected. May cause mild irritation to the respiratory tract.

Ingestion:

No adverse effects expected. May cause mild irritation to the gastrointestinal tract.

Skin Contact:

Not expected to be a health hazard from skin exposure. May cause mild irritation and redness.

Eye Contact:

No adverse effects expected. May cause mild irritation, possible reddening.

Chronic Exposure:

Prolonged inhalation of excessive dust may produce pulmonary disorders.

Aggravation of Pre-existing Conditions:

No information found.

Material Safety Data Sheet

(Activated Carbon)

SECTION 4 – FIRST AID MEASURES

Inhalation:

Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion:

Give several glasses of water to drink to dilute. If large amounts were swallowed, get medical advice.

Skin Contact:

Not expected to require first aid measures. Wash exposed area with soap and water. Get medical advice if irritation develops.

Eye Contact:

Wash thoroughly with running water. Get medical advice if irritation develops.

SECTION 5 – FIRE FIGHTING MEASURES

Fire:

As with most organic solids, fire is possible at elevated temperatures or by contact with an ignition source. Activated carbon is difficult to ignite and tends to burn slowly (smolder) without producing smoke or flame.

Wet activated carbon depletes oxygen from the air. Materials allowed to smolder for long periods in enclosed spaces, may produce amounts of carbon monoxide which may reach the lower explosive limit for carbon monoxide of 12.5% in air.

Contact with strong oxidizers such as ozone or liquid oxygen may cause rapid combustion.

Explosion:

Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Minimum explosible concentration 0.140 g/l.

Fire Extinguishing Media:

Water spray, dry chemical, alcohol foam, or carbon dioxide.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8.

Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container.

Warning! Spent product may have absorbed hazardous materials.

Material Safety Data Sheet (Activated Carbon)

SECTION 7- HANDLING AND STORAGE

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Keep away from moisture and oxidizers. Avoid dust dispersal.

Wet activated carbon depletes oxygen from the air and therefore dangerously low levels of oxygen may be encountered in confined spaces. Work procedures for potentially low oxygen areas should be followed.

Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION

Airborne Exposure Limits:

- OSHA Permissible Exposure Limits (PELs):

activated carbon (graphite, synthetic): total particulate = 15 mg/m³ (TWA), respirable fraction = 5 mg/m³ (TWA).

- ACGIH Threshold Limit Values (TLVs): graphite, all forms except graphite fibers: 2 mg/m³ (TWA).

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits.

Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

For conditions of use where exposure to the dust or mist is apparent, a half-face dust/mist respirator may be worn. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear protective gloves and clean body-covering clothing.

Eye Protection:

Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Black powder.

Odor: Odorless.

Solubility: Insoluble in water.

Specific Gravity: 1.8 - 2.1

pH: 5.0-10.0

% Volatiles by volume @ 21C (70F): 0

Boiling Point: Sublimes.

Material Safety Data Sheet

(Activated Carbon)

Melting Point: 3550C (6422F)

Vapor Density (Air=1): 0.4

Vapor Pressure (mm Hg): 1 @ 3586C (6487F)

Evaporation Rate (BuAc=1): No information found.

SECTION 10 – STABILITY AND REACTIVITY DATA

Stability:

Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products:

Involvement in a fire causes formation of carbon dioxide and carbon monoxide.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Strong oxidizers such as ozone, liquid oxygen, chlorine, permanganate, etc. may result in rapid combustion. Avoid contact with strong acids.

Conditions to Avoid:

Moisture and incompatibles.

SECTION 11 – TOXICOLOGICAL INFORMATION

Investigated as a reproductive effector.

-----\Cancer Lists\-----

---NTP Carcinogen---

Ingredient	Known	Anticipated	IARC Category
------------	-------	-------------	---------------

-----	-----	-----	-----
Steam Activated Carbon (7440-44-0)	No	No	None

SECTION 12 – ECOLOGICAL INFORMATION

Environmental Fate: No information found.

Environmental Toxicity: No information found.

SECTION 13 – DISPOSAL CONSIDERATION

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options.

State and local disposal regulations may differ from federal disposal regulations.

Dispose of container and unused contents in accordance with federal, state and local requirements.

Material Safety Data Sheet (Activated Carbon)

SECTION 14 - TRANSPORTATION DATA

Not regulated.

SECTION 15 – REGULATORY INFORMATION

-----\Chemical Inventory Status - Part 1\-----
Ingredient TSCA EC Japan Australia

Steam Activated Carbon (7440-44-0) Yes Yes No Yes

-----\Chemical Inventory Status - Part 2\-----
Ingredient --Canada--
Korea DSL NDSL Phil.

Steam Activated Carbon (7440-44-0) Yes Yes No Yes

-----\Federal, State & International Regulations - Part 1\-----
Ingredient -SARA 302- -SARA 313-----
RQ TPQ List Chemical Catg.

Steam Activated Carbon (7440-44-0) No No No No

-----\Federal, State & International Regulations - Part 2\-----
Ingredient -RCRA- -TSCA-
CERCLA 261.33 8(d)

Steam Activated Carbon (7440-44-0) No No No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No
SARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No
Reactivity: No (Pure / Solid)

Australian Hazchem Code: None allocated.

Poison Schedule: None allocated.

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

SECTION 16 – OTHER INFORMATION

NFPA Ratings: Health: **0** Flammability: **1** Reactivity: **0**

Label Hazard Warning:

CAUTION! ACTIVATED CARBON AFFECTS THE RESPIRATORY AND CARDIOVASCULAR SYSTEMS.

Material Safety Data Sheet

(Activated Carbon)

Label Precautions:

Avoid contact with eyes, skin and clothing.

Avoid breathing dust.

Keep container closed.

Use with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

If inhaled, remove to fresh air. Get medical attention for any breathing difficulty.

Product Use:

Laboratory Reagent.

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.